

Mazuri® Waterfowl Breeder Diet

(Available at www.mazuri.com or through a Mazuri® retailer)

Formula Code - 5640



Description

Mazuri® Waterfowl Breeder Diet contains biologically available nutrients to enhance breeding performance, egg numbers, fecundity and chick viability for ornamental waterfowl.

Features and Benefits

- **Balanced ratio of nutrients** - To promote successful breeding programs.
- **Nutritionally complete** - Requires no mixing or supplementation.
- **Extruded floating pellet diet** - Allows for feeding of bird in the water and prevents accumulation on the bottom of the feeding area, limiting water contamination and waste and creating a more natural feeding environment.
- **Sustainable fishmeal source.**

Product Form

Extruded feed: 3/8" diameter x 3/16" length.

- 50 lb. net weight paper sack

Catalog

0001433



Guaranteed Analysis

Crude protein not less than..... 17.0%
Crude fat not less than.....2.5%
Crude fiber not more than.....6.0%
Ash not more than..... 11.0%

Calcium not less than.....2.5%
Calcium not more than3.5%
Phosphorus not less than..... 0.70%
Salt not less than 0.05%
Salt not more than 0.55%
Sodium not more than 0.55%

Ingredients

Ground corn, wheat middlings, dehulled soybean meal, calcium carbonate, fish meal, dehydrated alfalfa meal, soybean oil, dicalcium phosphate, salt, brewers dried yeast, choline chloride, cholecalciferol (form of vitamin D₃), menadione sodium bisulfite complex (source of vitamin K), vitamin A acetate, biotin, tagetes (Aztec marigold) extract (color), d-alpha tocopheryl acetate (form of vitamin E), folic acid, calcium pantothenate, nicotinic acid, pyridoxine hydrochloride, vitamin B₁₂ supplement, riboflavin supplement, preserved with mixed tocopherols (form of vitamin E), magnesium oxide, rosemary extract, l-lysine, citric acid, dl-methionine, thiamine mononitrate, manganous oxide, zinc oxide, copper sulfate, sodium selenite, calcium iodate.

Feeding Directions

Mazuri® Waterfowl Breeder Diet can be fed as a major part of the birds' daily food intake during the breeding season (spring months). If supplementation is desired, species-appropriate food items should be provided at no more than 20% of the total dietary intake (as is basis).

The feed can be offered ad libitum to mature birds 2 to 4 weeks before breeding season. Adult birds should eat in the range of 25-30 grams/kg of body weight each day, depending on species size.

Scatter directly on the water, where it will float, or it can be fed in a long, shallow trough, which will prevent the food from floating away from the birds.

Mazuri® Waterfowl Breeder Diet

Approximate Nutrient Composition¹

NUTRIENTS

Protein, %	17
Arginine, %.....	1.1
Cystine, %.....	0.32
Glycine, %.....	0.83
Histidine, %.....	0.46
Isoleucine, %.....	0.68
Leucine, %.....	1.4
Lysine, %.....	0.92
Methionine, %.....	0.30
Phenylalanine, %.....	0.77
Tyrosine, %.....	0.48
Threonine, %.....	0.63
Tryptophan, %.....	0.19
Valine, %.....	0.80

Fat (Acid hydrolysis), %	2.5
Linoleic acid, %.....	1.7
Omega-3 Fatty Acids, %.....	0.24
Omega-6 Fatty Acids, %.....	1.7

Fiber (Crude), %	6.0
Neutral Detergent Fiber, %.....	16
Acid Detergent Fiber, %.....	5.0

Metabolizable Energy²,	
kcal/kg.....	3,105

MINERALS

Ash, %.....	10
Calcium, %.....	2.8
Phosphorus, %.....	0.71
Phosphorus (non-phytate), %.....	0.40
Potassium, %.....	0.8
Magnesium, %.....	0.21
Sodium, %.....	0.19
Chloride, %.....	0.31
Iron, ppm.....	265
Zinc, ppm.....	125
Manganese, ppm.....	165
Copper, ppm.....	15
Iodine, ppm.....	2.0
Selenium (added), ppm.....	0.30

VITAMINS

Thiamin, ppm.....	6.3
Riboflavin, ppm.....	4.7
Niacin, ppm.....	84
Pantothenic acid, ppm.....	19
Choline, ppm.....	1,330
Folic acid, ppm.....	2.8
Pyridoxine, ppm.....	4.7
Biotin, ppm.....	0.34
Vitamin B ₁₂ , µg/kg.....	20
Vitamin A, IU/kg.....	13,190
Vitamin D ₃ , IU/kg.....	2,175
Vitamin E, IU/kg.....	100
Vitamin K (as menadione), ppm.....	3.7

Storage Conditions

For best results, store contents of open bag in container with sealing lid. Store in a cool (75°F or colder), dry (approximately 50% RH) location. Use within 1 year of bag manufacturing.

¹ Based on the latest ingredient analysis information. Since nutrient composition of natural ingredients varies, analyses will vary accordingly.

² Calculated using Atwater factors – 4 kcal/g protein, 9 kcal/g fat, 4 kcal/g carbohydrate.

Mazuri® is a registered trademark of Purina Mills, LLC.